Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 31/05/2016 Revision date: 19/08/2021 Supersedes version of: 22/06/2020 Version: 18.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

1.1. Floudet identifier			
Product form Product name UFI Product code	<ul> <li>Mixture</li> <li>LOOBRITE TOILET CLEANER</li> <li>9QVH-A01V-V00W-GYRA</li> <li>1001</li> </ul>		
1.2. Relevant identified uses of the substa	ince or mixture and uses advised against		
1.2.1. Relevant identified uses Industrial/Professional use spec Use of the substance/mixture	: For professional use only : Cleaning Product		
1.2.2. Uses advised against			
Restrictions on use	: Anything other than intended use as listed on the label.		
1.3. Details of the supplier of the safety data sheet			
Supplier Greyland Ltd Tameside Park Industrial Estate Fifth Avenue Dukinfield SK16 4PP UK Tel: +44 (0) 161 343 3830 Fax: +44 (0) 161 343 0608 Email: sales@greyland.co.uk	<b>Supplier</b> Greyland Europe Limited 13a Ballyhoy Avenue Raheny Dublin 5 Tel: +44 (0) 161 343 3830 E-mail: sales@greyland.co.uk		

#### 1.4. Emergency telephone number

Emergency number

: +44 (0) 161 343 3830 Monday - Friday (08:00 - 16:30)

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixt	ture		
Classification according to Regulation (EC) No. 1272/2008 [CLP]			
Skin corrosion/irritation, Category 1	H314		
Serious eye damage/eye irritation, Category 1	H318		
Full text of H statements : see section 16			
Adverse physicochemical, human health and en	vironmental effects		
Causes severe skin burns and eye damage. Causes serious eye damage.			
2.2. Label elements			
Labelling according to Regulation (EC) No. 1272/2008 [CLP]			
Hazard pictograms (CLP)	GHS05		
Signal word (CLP)	: Danger		
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage.		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P363 - Wash contaminated clothing before reuse.	Precautionary statements (CLP)	contact lenses, if present and easy to do. Continue rinsing.
--	--------------------------------	--

## 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sulphamic Acid	(CAS-No.) 5329-14-6 (EC-No.) 226-218-8 (EC Index-No.) 016-026-00-0	≥ 1 – < 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Phosphoric acid substance with a Community workplace exposure limit	(CAS-No.) 7664-38-2 (EC-No.) 231-633-2 (EC Index-No.) 015-011-00-6 (REACH-no) 01-2119485924-24	< 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
Dipropylene glycol methyl ether substance with a Community workplace exposure limit	(CAS-No.) 34590-94-8 (EC-No.) 252-104-2 (REACH-no) 01-2119450011-60	< 1	Not classified

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Phosphoric acid	(CAS-No.) 7664-38-2 (EC-No.) 231-633-2 (EC Index-No.) 015-011-00-6 (REACH-no) 01-2119485924-24	( 10 ≤C < 25) Skin Irrit. 2, H315 ( 10 ≤C < 25) Eye Irrit. 2, H319 ( 25 ≤C ≤ 100) Skin Corr. 1B, H314

## Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	<ul> <li>Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.</li> </ul>
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	:Burns. :Serious damage to eyes. :Burns.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.			
5.2. Special hazards arising from the substance or mixture				
Hazardous decomposition products in case of fire	: Toxic fumes may be released.			
5.3. Advice for firefighters				
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.			

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective	equipment and emergency procedures			
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for contain	ment and cleaning up			
Methods for cleaning up Other information	<ul><li>Take up liquid spill into absorbent material.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>			
6.4. Reference to other sections				
For further information refer to section 13.				

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not		
Hygiene measures	<ul> <li>breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.		
Incompatible products	: Oxidizing agent. Strong bases. Strong acids.		
Special rules on packaging	: Keep only in original container. Store in a closed container.		
7.3. Specific end use(s)			

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal	protection
8.1. Control parameters	
Dipropylene glycol methyl ether (34590-94-8)	
EU - Occupational Exposure Limits	
Local name	(2-Methoxymethylethoxy)-propanol
IOELV TWA (mg/m³)	308 mg/m <sup>3</sup>
IOELV TWA (ppm)	50 ppm
Notes	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Ireland - Occupational Exposure Limits	
Local name	(2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether]
OEL (8 hours ref) (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
OEL (8 hours ref) (ppm)	50 ppm
Notes (IE)	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom - Occupational Exposure Limits	
Local name	(2-methoxymethylethoxy) propanol
WEL TWA (mg/m³)	308 mg/m <sup>3</sup>
WEL TWA (ppm)	50 ppm
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Phosphoric acid (7664-38-2)			
EU - Occupational Exposure Limits			
Local name	Orthophosphoric acid		
IOELV TWA (mg/m³)	1 mg/m³		
IOELV STEL (mg/m <sup>3</sup> )	2 mg/m³		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
Ireland - Occupational Exposure Limits			
Local name	Orthophosphoric acid [Phosphoric acid]		
OEL (8 hours ref) (mg/m³)	1 mg/m <sup>3</sup>		
OEL (15 min ref) (mg/m3)	2 mg/m <sup>3</sup>		
Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2020		
United Kingdom - Occupational Exposure Limits			
Local name	Orthophosphoric acid		
WEL TWA (mg/m³)	1 mg/m <sup>3</sup>		
WEL STEL (mg/m³)	2 mg/m <sup>3</sup>		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

#### Eye protection:

Safety glasses. Use eye protection according to EN 166.

#### Skin and body protection:

If direct or repeated skin contact is likely, wear suitable protective clothing

#### **Respiratory protection:**

Not required under normal conditions of use.

#### Personal protective equipment symbol(s):



#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

PPE should be worn to prevent any contact with the chemical. Any contaminated clothing should be washed prior to re-use.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state Colour		Liquid Blue
Odour	•	Parma violets
Odour threshold		No data available
pH		< 2
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	Not applicable
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	Not applicable
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Density	:	1.03 – 1.05
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	> 800 cP
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (dermal)	Not classified Not classified Not classified	
Dipropylene glycol methyl ether (34590-94-8)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	

Phosphoric acid (7664-38-2)	
LD50 oral rat	769.23 mg/kg

Sulphamic Acid (5329-14-6)	
LD50 dermal rabbit	> 2000 mg/kg (rabbit)
Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	pH: < 2 : Causes serious eye damage.
Senous eye damage/initation	pH: < 2
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Dipropylene glycol methyl ether (34590-94-8)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:KANPOGYO No.700, YAKUHATSU No. 1039.61, and KIKYKU No. 1014.
NOAEL (dermal, rat/rabbit, 90 days)	2850 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Phosphoric acid (7664-38-2)		
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	

Aspiration hazard

: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute)	<ul><li>Before neutralisation, the product may represent a danger to aquatic organisms.</li><li>Not classified</li></ul>
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Dipropylene glycol methyl ether (34590-94-8)		
LC50 fish 1	> 1000 mg/l Test organisms (species): Poecilia reticulata	
EC50 other aquatic organisms 1	1930 mg/l Test organisms (species): other aquatic crustacea:Acartia tonsa	
EC50 72h algae (1)	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h algae (1)	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	

Phosphoric acid (7664-38-2)	
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Sulphamic Acid (5329-14-6)	
EC50 Daphnia 1	71.6 mg/l (daphnia)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Wash packaging with a suitable cleaner (water) before recycling. Otherwise dispose of as</li> </ul>
	contaminated packaging. Always dispose of packaging in accordance with local regulations.
European List of Waste (LoW) code	: 20 01 29* - detergents containing dangerous substances
	15 01 10* - packaging containing residues of or contaminated by dangerous substances

#### **SECTION 14: Transport information**

#### In accordance with ADR / RID / IMDG / IATA / ADN ADR IMDG ΙΑΤΑ ADN RID 14.1. UN number UN 2967 UN 2967 UN 2967 UN 2967 UN 2967 14.2. UN proper shipping name SULPHAMIC ACID SULPHAMIC ACID Sulphamic acid SULPHAMIC ACID SULPHAMIC ACID **Transport document description** UN 2967 SULPHAMIC UN 2967 SULPHAMIC UN 2967 Sulphamic acid, 8, UN 2967 SULPHAMIC UN 2967 SULPHAMIC ACID, 8, III, (E) ACID, 8, III Ш ACID, 8, III ACID, 8, III 14.3. Transport hazard class(es) 8 8 8 8 8 14.4. Packing group Ш Ш Ш Ш Ш 14.5. Environmental hazards Dangerous for the environment : No Marine pollutant : No No supplementary information available 14.6. Special precautions for user

Overland transport		
Classification code (ADR)	:	C2
Limited quantities (ADR)	:	5kg
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P002, IBC08, LP02, R001

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP7
Hazard identification number (Kemler No.)	: 80
Orange plates	<b>80</b> <b>2967</b>
Tunnel restriction code (ADR)	: E
EAC code	: 2X
Transport by sea	
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: White crystalline powder. Soluble in water. Decomposes when heated, evolving toxic fumes.
	Causes burns to skin, eyes and mucous membranes.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y845
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 860
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 864
CAO max net quantity (IATA)	: 100kg
Special provisions (IATA)	: A803
ERG code (IATA)	: 8L
Inland waterway transport	
Classification code (ADN)	: C2
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: C2
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: B3
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions	: TP33
(RID)	
Tank codes for RID tanks (RID)	: SGAV
Transport category (RID)	: 3
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP7
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 80
14.7. Transport in bulk according to Annex	II of Marpol and the IBC Code

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

#### Abbreviations and acronyms:

Abbreviations and acrony	/115.
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H412	Harmful to aquatic life with long lasting effects.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.